

REPORT OF SUBSURFACE EXPLORATION

Proposed Loosahatchie Sewer Relocation  
Memphis, Tennessee

PSI File No. 502-95051

PREPARED FOR

Allen & Hoshall, Inc.  
2430 Poplar Avenue  
Memphis, Tennessee 38112

June 1, 1989

BY

PROFESSIONAL SERVICE INDUSTRIES, INC.

## TABLE OF CONTENTS

	Page No.
INTRODUCTION.....	1
Project Authorization.....	1
TESTING PROCEDURES.....	2
Field Operations.....	2
Laboratory Testing.....	3
SITE AND SUBSURFACE CONDITIONS.....	4
Site Description and Topography.....	4
Subsurface Conditions.....	4
Ground Water Conditions.....	5
PROJECT INFORMATION.....	6
SEWER DESIGN COMMENTS.....	7
Bearing Capacity.....	7
Stability of Open Excavations.....	7
Hydrostatic Uplift of Structures.....	8
CONSTRUCTION CONSIDERATIONS.....	10
General Comments.....	10
Open Cut Methods.....	10
Dewatering.....	10
Termination of Dewatering.....	11
Bedding and Backfill Requirements.....	12
Compaction by Jetting.....	13
Inspection During Construction.....	13
GENERAL COMMENTS.....	14
APPENDIX I - DRAWING	
APPENDIX II - SUBSURFACE MATERIALS	
Penetration Resistance Chart	
Soil Classification Chart	
Test Boring Records	
APPENDIX III - PLATES	

1.0 INTRODUCTION AND AUTHORIZATION

Professional Service Industries, Inc. (PSI) has completed a subsurface exploration for the proposed relocated Loosahatchie sewer to be constructed in Memphis, Tennessee. This work was authorized by Mr. Ted L. Winstead of Allen and Hoshall and was performed in general accordance with PSI Proposal No. 502-083 dated April 3, 1989. The purpose of this study was to explore the subsurface conditions at the site to enable an evaluation of the soil and ground water conditions with respect to construction of the underground sewer. This report briefly outlines the testing procedures, describes the site and subsurface conditions, and discusses the sewer design recommendations.

