



**Request for Bid  
Group 3 Relay Addendum No. 1 to  
RFB No. 419770.71.0418  
June 5, 2024**



The following information encompasses Addendum No. 1 for the above referenced RFB. Bidders shall fully consider and acknowledge this Addendum in the preparation and submittal of its formal Bid. Failure to do so may result in the rejection of the Bid.

Section 1 – 00370.3.1 Unit Pricing

Section 2 – 00370.7.1 Construction Milestone Completion Dates and Applicable Liquidated Damages

Section 3 – 00575.1 Project Safety and Health Program

Section 4 – 00770 Loss Control Manual

All other conditions and requirements remain unchanged.

---

**Section 1  
00370.3.1 Unit Pricing**

Table 00370.3.1 - Unit Price Bid Form

Bidder should refer to Section 00270, Instructions to Bidders, when completing this Bid Form. Bidder shall complete this form entirely and return it with Bidder's Bid.						
Bid Submitted by: (Company Name)						
00370.3 Bid Pricing Information						
00370.3.1 Unit Pricing						
Bidder proposes to complete the RFB Work based on firm, fixed, unit prices (US dollars), which prices multiplied by the final Work quantities would represent the full consideration to Bidder for its complete and satisfactory performance of the Work in compliance with all the terms and conditions of the RFB Documents. The Unit Prices in this Table include the cost of all the work which is required or implied by the RFB documents or which may be inferred therefrom, and which is customarily provided in furnishing a complete and finished work item of its kind. Further, any and all alterations, modifications, and adjustments to the work item, which is reasonably foreseeable or customarily encountered in providing and installing equipment, material, and services of the work item kind, will be performed without additional compensation.						
In the event of a Purchaser-approved change in the scope of Work for which a unit price from this Table is not applicable, as determined by the Purchaser, the Subcontractor shall provide a new unit price for review and acceptance by the Purchaser. Subcontractor shall provide all information requested by the Purchaser to substantiate the value of the new unit price.						
00370.3.1.1 Unit Prices Breakdown					Bidder Response Columns	
Item Number	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Extension Price	
<b>71.0418 Group 3 Relay</b>						
<b>Pipe Replacement</b>						
02530-6.01	Locate and Expose Mainline Terminus	Each	10		\$ -	
02530-6.02	Undercut Backfill	Ton	1,500		\$ -	
02530-6.03.15.08.01	8" Polyvinyl Chloride (PVC) Pipe (0'-6" Depth)	Linear Foot	<del>4,285</del> 3,268		\$ -	
02530-6.03.15.08.02	8" Polyvinyl Chloride (PVC) Pipe (6.1'-10' Depth)	Linear Foot	<del>13,130</del> 13,798		\$ -	
02530-6.03.15.08.03	8" Polyvinyl Chloride (PVC) Pipe (10.1'-14' Depth)	Linear Foot	<del>2,250</del> 2,481		\$ -	
<del>02530-6.03.15.10.03</del>	<del>10" Polyvinyl Chloride (PVC) Pipe (10.1'-14' Depth)</del>	<del>Linear Foot</del>	<del>320</del>		<del>\$ -</del>	
02530-6.03.15.12.01	12" Polyvinyl Chloride (PVC) Pipe (6.1'-10' Depth)	Linear Foot	75		\$ -	
02530-6.04	Service Lateral Removal and Replacement for Pipe Replacement	Each	<del>506</del> 503		\$ -	
02530-6.05	Pavement Backfill for Pipe Replacement	Cubic Yards	21,108		\$ -	
02530-6.06	Bypass Pumping	Lump Sum	61		\$ -	
02530-6.08	Hydroexcavating/Hand Digging	Linear Foot	<del>20,060</del> 19,622		\$ -	
<b>Manhole Replacement / Installation</b>						
02531-4.01.A.2	Precast Manhole Replacement (6.1'-10' Depth)	Each	1		\$ -	
02531-4.01.B.1	Precast Manhole Installation (0'-6' Depth)	Each	1		\$ -	
<del>02531-4.01.B.2</del>	<del>Precast Manhole Installation (6.1'-10' Depth)</del>	<del>Each</del>	<del>8</del>		<del>\$ -</del>	
<del>02531-4.01.B.3</del>	<del>Precast Manhole Installation (10.1'-15' Depth)</del>	<del>Each</del>	<del>4</del>		<del>\$ -</del>	
02531-4.01.C	Pavement Backfill for Manholes	Cubic Yards	60		\$ -	
<b>Manhole Rehabilitation</b>						
02533-4.01.A	Manhole Rehabilitation - Cementitious Coating	Vertical Foot	36		\$ -	
02533-4.01.B	Invert and Bench Replacement	Each	1		\$ -	
<b>Post-Rehabilitation PACP Inspection</b>						
02541-4.01.A	Post Rehab CCTV Inspection (8" diameter) (for all diameters)	Linear Foot	<del>19,665</del> 20,060		\$ -	
<del>02541-4.01.A</del>	<del>Post Rehab CCTV Inspection (10" diameter)</del>	<del>Linear Foot</del>	<del>320</del>		<del>\$ -</del>	
<del>02541-4.01.A</del>	<del>Post Rehab CCTV Inspection (12" diameter)</del>	<del>Linear Foot</del>	<del>75</del>		<del>\$ -</del>	
<b>Post-Rehabilitation MACP Inspection</b>						
02544-4.01.A	GPS Coordinates of Manhole Cover	Each	<del>15</del> 128		\$ -	
02544-4.01.C-1	Post Rehab MACP Level 2 Manhole Inspections	Each	<del>15</del> 128		\$ -	
<b>Site Preparation and Restoration</b>						
02630-4.01	Miscellaneous Site Preparation and Restoration	Lump Sum	1		\$ -	
<b>Pavement and Incidentals</b>						
02950-4.01.A-1	Asphaltic Concrete Pavement Removal and Replacement	Square Yard	<del>15,000</del> 40,875		\$ -	
02950-4.01.A-2	Concrete Pavement Removal and Replacement	Square Yard	905		\$ -	
<del>02950-4.01.A-3</del>	<del>Temporary Cold Patch Asphalt Removal and Replacement</del>	<del>Square Yard</del>	<del>1,500</del>		<del>\$ -</del>	
02950-4.01.B	Concrete Sidewalk Removal and Replacement	Square Yard	565		\$ -	
02950-4.01.C	Concrete Curb and Gutter Removal and Replacement	<del>Square Yard</del> Linear Foot	<del>6,980</del> 3,000		\$ -	
02950-4.01.D	Gravel Driveway and Gravel Area Removal and Replacement With Crushed Stone	Ton	17		\$ -	
	SRF Signs	Each	4 2		\$ -	
<b>71.0418 Group 3 Relay - Total Estimated Unit Price Value</b>					\$ -	



**Request for Bid  
Group 3 Relay Addendum No. 1 to  
RFB No. 419770.71.0418  
June 5, 2024**



---

**Section 2  
00370.7.1 Construction Milestone Completion Dates and Applicable Liquidated Damages**

**00370.7 Schedule Compliance**

**00370.7.1 Construction Milestone Completion Dates and Applicable Liquidated Damages**

Item	Milestone Description	Construction Milestone Completion Date	*LDs Apply?	Bidder Complies? (Yes/No)
1	Substantial Completion <sup>1</sup> of Work under this Subcontract	<del>335</del> <b>516</b> calendar days after Notice to Proceed	Yes	
2	Final Completion <sup>2</sup> of all Work under this Subcontract	<del>365</del> <b>546</b> calendar days after Notice to Proceed	Yes	

In accordance with Subcontract Article 00574.4 Work Hours, the Work will be completed by **TBD**.

\*LD indicates that completion of the Work after the "Construction Milestone Completion Date" is subject to liquidated damages per applicable Articles of Section 00571.

\*Note: Subcontractor performance will directly impact future procurements for the SARP10 Program, schedule is critical and must be maintained.

<sup>1</sup> Substantial Completion is defined as the date the project is sufficiently complete, in accordance with the construction contract documents, so that the owner may use the facilities for the intended purpose.

<sup>2</sup> Final Completion is defined as: (a) the Work is complete and complies with the requirements of this Subcontract; and (b) Subcontractor has fulfilled all its obligations under this Subcontract except obligations that survive completion of the Work.



**Request for Bid  
Group 3 Relay Addendum No. 1 to  
RFB No. 419770.71.0418  
June 5, 2024**



---

**Section 3  
00575.1 Project Safety and Health Program**

## 00575 - Safety, Health and Accident Prevention

### 00575.1 Project Safety and Health Program

Purchaser will implement and coordinate the overall Project Safety and Health Program as defined in the Loss Control Manual which is available for inspection at <http://www.sarp10.com/facts/> <http://www.sarp10.com/safety/>.

### 00575.2 Safety, Health, and Accident Prevention Program

00575.2.1 Subcontractor shall implement and maintain a written Safety, Health and Accident Prevention Program specifically applicable to the Work. Subcontractor's Safety, Health and Accident Prevention Program must meet the requirements of Applicable Laws and adhere to the Project Safety and Health Program, if implemented by Purchaser. Subcontractor shall submit Subcontractor's Safety, Health and Accident Prevention Program for Purchaser's review at least thirty calendar days before starting Work at the jobsite. Purchaser's review does not relieve Subcontractor of Subcontractor's sole responsibility for safety and health in relation to the Work, nor does Purchaser's review limit Subcontractor's obligation to undertake any action necessary to establish and maintain safe working conditions relating to the Work at the jobsite.

00575.2.2 Purchaser may monitor Subcontractor's safety and health performance and may require changes to Subcontractor's Safety, Health and Accident Prevention Program during the performance of the Work. Purchaser's monitoring and requirement of changes does not relieve Subcontractor of Subcontractor's sole responsibility for safety and health in relation to the Work, nor does Purchaser's monitoring and requirement of changes limit Subcontractor's obligation to undertake any action necessary to establish and maintain safe working conditions relating to the Work at the jobsite.

### 00575.3 Hazardous Waste Project Health and Safety Plan

00575.3.1 Subcontractor understands that the Work involves hazardous substances or hazardous wastes. Subcontractor shall comply with all Applicable Laws, Owner's facility rules and regulations, and applicable guidance documents. Subcontractor shall prepare and implement a jobsite-specific Hazardous Waste Project Health and Safety Plan, based on Subcontractor's Safety, Health and Accident Prevention Program and all written programs required by Applicable Laws. Subcontractor is responsible for the completeness and accuracy of Subcontractor's Hazardous Waste Project Health and Safety Plan. Subcontractor shall submit Subcontractor's Hazardous Waste Project Health and Safety Plan to Purchaser at least thirty calendar days before starting Work at the jobsite and shall maintain a copy at the jobsite for review by Purchaser, Owner, and regulatory personnel.

00575.3.2 Before starting Work at the jobsite, Subcontractor shall submit written verification that:

- (a) personnel assigned to the Work have received forty-hour health and safety training that meets the requirements of 29 CFR 1910.120(e) or 1926.65(e);
- (b) the assigned field supervisor has completed eight hours of supervisor training that meets the requirements of 29 CFR 1910.120(e)(4) or 1926.65(e)(4); and
- (c) personnel assigned to the Work are participating in a medical surveillance program that meets the requirements of 29 CFR 1910.120(f) or 1926.65(f).

### 00575.4 Protective Clothing, Equipment and Instrumentation

Subcontractor agrees to furnish special protective clothing, respiratory protective equipment, and monitoring instrumentation as required by Applicable Laws, the project's safety-related plans and programs, and Purchaser's and Owner's rules and regulations. Subcontractor shall ensure that personnel performing Work at the jobsite properly use the clothing, equipment, and instrumentation. Subcontractor shall furnish and maintain all safety equipment, including but not limited to, barriers, signs, warning lights, and guards necessary for adequate protection of persons and property.





**Request for Bid  
Group 3 Relay Addendum No. 1 to  
RFB No. 419770.71.0418  
June 5, 2024**



---

**Section 4  
00770 Loss Control Manual**

## 00770 – Loss Control Manual

The Loss Control Manual is available for viewing on the SARP10 website:

~~<http://www.sarp10.com/facts/>~~ <http://www.sarp10.com/safety/>

Contact Riley Thompson, Safety Manager for additional information:

~~mailto:~~[ThompsonRR@bv.com](mailto:ThompsonRR@bv.com)

~~(9101)~~ **(901)** 530-1809

